

# INDEX MAPS.

**T. 6 N. R. 8 E. 2<sup>nd</sup> Mer.**

	6		6		6		5		5		8	
		7		7		7		7				
10	6	31	5	30	4	24	3	18	2	14	1	5
	31		30		25		24		17		14	
10	7	30	8	25	9	23	10	17	11	14	12	4
	29		29		25		23		17		13	
9	18	29	17	24	16	23	15	16	14	13	13	4
	28		28		22		20		16		12	
9	19	28	20	22	21	20	22	16	23	12	24	3
	27		27		21		19		15		12	
8	30	27	29	21	28	19	27	15	26	11	25	3
	26		26		21		19		15		11	
8	31	26	32	20	33	18	34	14	35	11	36	2
	2		2		1		1		1		1	

**T. 7 N. R. 8 E. 2<sup>nd</sup> Mer.**

	40	40	40	39	39	38						
43	6	64	5	58	4	54	3	51	2	47	1	38
	63		54		58		54		50		46	
42	7	63	8	58	9	54	10	50	11	46	12	37
	62		62		57		53		50		46	
42	18	62	17	57	16	53	15	49	14	45	13	37
	61		61		57		53		49		45	
41	19	61	20	56	21	52	22	49	23	45	24	36
	60		60		56		52		48		44	
41	30	60	29	55	28	52	27	48	26	44	25	36
	59		59		55		51		48		44	
41	31	59	32	55	33	51	34	47	35	43	36	35
	34		33		33		33		33		33	
	34		34		34		35		35		35	

The figures on the lines refer to the page.

1  
Township N. 6 North, Range N. 8 East 2. Mer. Ind. a

ch. 1. 1/2

### South Boundary

West or S 89 1/2 W On S. boundary of Sec. 36

24.40 a Brook 4 ch., wide Course N.

37.20 a Do 3 " " " " N.

40.00 Set q. Sec. post, from which  
a Beech 16 m. diam. bran N 46 W 15 ch. dist. of  
a Cherry 10 " " " " N 26 W 19 " "

80.00 Set post Cor. to Sec. 35 & 36, from which  
a Beech 15 m. diam. bran N 9 E 11 ch. dist. of  
a Sugar 16 " " " " N 75 W 17 " "  
Land level, timber Beech, Sugar, Oak &c.

---

West On S. boundary of Sec. 35.

40.00 Set q. Sec. post, from which

a Beech 18 m. diam. bran N 65 E 25 ch. dist. of

a Do. 15 " " " " N 35 W 18 " "

80.00 Set post Cor. to Sec. 34 & 35, from which  
a Beech 12 m. diam. bran N 59 W 16 ch. dist. of  
a Do. 34 " " " " N 18 W 10 " "

Land gently ascending & descending, rich  
timber Beech, Sugar, Ash, Oak, &c. undg. Office.

---

West On S. boundary of Sec. 34

4.65 a Creek 150 ch. wide Course S.

40.00 Set q. Sec. post, from which

a Beech 5 m. diam. bran N 35 W 7 ch. dist. of

a Do. 8 " " " " N 21 W 31 " "

80.00 Set post Cor. to Sec. 33 & 34, from which  
a Beech 7 m. diam. bran N 18 1/2 E 30 ch. dist. of  
a W. Oak 24 " " " " N 9 E 21 " "

Land level, timber Beech, Oak, Sugar &c.

---

West On S. boundary of Sec. 33

40.00 Set q. Sec. post, from which

a Beech 7 m. diam. bran N 36 W 3 ch. dist. of

a Do. 7 " " " " N 5 E 4 " "

2 T6N R8E. 2<sup>d</sup>. Mer. Indiana  
ch. lks.

74.40 a Brook 8 lks. wide Course S. W.  
78.90 a do 8 " " " S.  
80.00 At post Cor. to Sec. 32 of 33, from which  
a Beech 11 mi. dir. by N 29 E 4 lks. dist. of  
a do. — " " " N 55 W 24 " "  
Land flat, timber Beech, Oak, Poplar, Hickory &c

---

Met On S. boundary of Sec. 32

40.00 At q<sup>r</sup>. Sec. post, from which  
a Beech 14 mi. dir. by N 67 W 11 lks. dist. of  
a S. Gum 14 " " " S 9 E 33 " "  
46.70 a Brook 6 lks. wide Course N. W.  
60.04 a do. 6 " " " N.  
79.90 a do. 15 " " " S. E.  
80.00 At post Cor. to Sec. 31 of 32, from which  
a Sugar 13 mi. dir. by N 17 W 13 lks. dist. of  
a Hickory 12 " " " N 17 E 10 " "  
Land level, timber Beech, Sugar, Oak &c

---

Met On S. boundary of Sec. 31

40.00 At q<sup>r</sup>. Sec. post, from which  
a Beech 13 mi. dir. by N 60 W 6 lks. dist. of  
a Sugar 7 " " " S 31 E 26 " "  
a water course 10 lks. wide runs S.  
69.15 Intersected the post Cor. to Township  
5 of 6 N, Range 8 of 7 East.  
Land level, timber, Beech, Hickory, Oak  
&c &c. November 7<sup>th</sup> 1866

---

East Boundary var. 5.30' E.

Met On E. boundary of Sec. 36

1.15 a Brook 15 lks. wide Course N 80 W.  
12.44 a Beech 16 mi. dir.  
28.44 a do. 18 " "  
40.00 At q<sup>r</sup>. Sec. post, from which  
a Sugar 12 mi. dir. by N 67 W 13 lks. dist. of

# St R & E. I<sup>st</sup>. Mer. Indiana <sup>3</sup>

ch<sup>2</sup>. l<sup>th</sup>

- a Sugar 15 m. dia<sup>r</sup>. bran N 85 E 14 l<sup>th</sup>. dist. of
- 42.50 a Creek 100 l<sup>th</sup>. wide Course W.
- 69.75 a Brook 8 " " " " E.
- 80.00 Let post Cor. to sec. 25 & 36, from which
- a Sugar 15 m. dia<sup>r</sup>. bran N 28 1/2 E 17 l<sup>th</sup>. dist. of
- a Beech 18 " " " " S 4 W 30 " "
- Land (waiving, timber, Beech, Sugar, Poplar,
- Oak &c.)

## North On E. boundary of Sec. 25

- 1.50 a Brook 12 l<sup>th</sup>. wide Course E.
- 20.07 a Beech 16 m. dia<sup>r</sup>.
- 25.80 a Brook 3 l<sup>th</sup>. wide Course N. E.
- 40.00 Let q<sup>r</sup>. Sec. post, from which
- a S. Gum 9 m. dia<sup>r</sup>. bran N 21 W 22 l<sup>th</sup>. dist. of
- a Beech 15 " " " " S 35 E 10 " "
- 52.25 a Do 22 " " "
- 63.60 a Brook 8 l<sup>th</sup>. wide Course W.
- 76.10 a Beech 36 m. dia<sup>r</sup>.
- 80.00 Let post Cor. to Sec. 24 & 25, from which
- a Beech 42 m. dia<sup>r</sup>. bran S 74 E 8 l<sup>th</sup>. dist. of
- a Do. 14 " " " " S 83 W 15 " "
- Land (waiving, Beech, Sugar, Poplar, Oak &c.)

## North On E. boundary of Sec. 24

- 2.20 a Brook 20 l<sup>th</sup>. wide Course W.
- 15.25 a Beech 76 m. dia<sup>r</sup>.
- 23.00 a Creek 25 l<sup>th</sup>. wide Course W.
- 31.25 a Beech 16 m. dia<sup>r</sup>.
- 40.00 Let q<sup>r</sup>. Sec. post, from which
- a W. Oak 18 m. dia<sup>r</sup>. bran N 43 E 25 l<sup>th</sup>. dist. of
- a Beech 7 " " " " N 30 1/2 W 36 " "
- 41.65 a Brook 15 l<sup>th</sup>. wide Course S. W.
- 48.00 a Do 4 " " " "
- 55.00 a Beech 15 m. dia<sup>r</sup>.
- 59.90 a Do 17 " " "



Plot N 8 E. 2<sup>d</sup>. Mer. Indiana  
 ch<sup>th</sup>  
 80.00 Set post Cor. to Sec. 13 of 24, from which  
 a Beech 20 mi. dia. bear North 5 lrs. dist. of  
 a Do. 7 " " " S 55 E 22 " "  
 Land waiving timber Beech, Oak, Hickory  
 Poplar &c.

North On E. boundary of Sec. 13

71.90 a Brook 8 lrs. wide Course N.E.  
 22.95 a M. Oak 18<sup>15</sup> in. dia. " " N.W.

40.00 Set of. Sec. post, from which  
 an Ash 15 mi. dia. bear N 31 E 7 lrs. dist. of  
 a Beech 14 " " " N 48 W 31 " "

47.40 a Brook 10 lrs. wide Course N.W.

48.81 a Beech 7 mi. dia.

63.60 a Brook 6 lrs. wide Course W.

66.69 a Beech 16 mi. dia.

74.25 a Brook 20 lrs. wide Course N.E.

80.00 Set post Cor. to Sec. 12 of 13, from which  
 a Sugar 30 mi. dia. bear South 30 lrs. dist. of  
 a Beech 12 " " " N 5 W 25 " "  
 Land waiving, Beech, Oak, Sugar, Hickory &c

North On E. boundary of Sec. 12

12.25 a Brook 35 lrs. wide Course N.W. Considerably  
 rapid, but not a sufficient quantity of water  
 in a dry season for mills.

20.90 a Beech 15 mi. dia.

40.00 Set of. Sec. post, from which  
 a Beech 17 mi. dia. bear S 59 E 16 lrs. dist. of  
 a Do. 6 " " " N 81 W 11 " "

52.05 a Creek 80 lrs. wide Course N.W. a good  
 Mill stream, abounds with beautiful building  
 Stone - Limestone.

66.00 Same Creek Course S.E.

78.50 Same Creek " S.W.

80.00 Set post Cor. to Sec. 1 of 12, from which

# St. R & E. 2<sup>d</sup> Mer. Ind. 5

ch. 1<sup>st</sup> th.

a Creek 8 mi. dist. from S 31° W 20 lks. dist. of  
a Do. 15 " " " N 30° E 51 " "  
Land broken, Beech, Oak, Hickory, Ash &c.

North On E. boundary of Sec. 1

11.60 a Creek 80 lks. wide Course S. E.

18.20 Same 80 " " " W.

26.60 a Poplar 12 mi. dist.

40.00 Set gr. Sec. post, from which

a Creek 12 mi. dist. from N 11° W 3 lks. dist. of

a Do. 14 " " " S 59° E 18 " "

53.60 a Creek 30 " "

64.03 a Poplar 46 " "

73.25 a Creek 18 " "

80.00 Set post Cor. to Township 6 of 7 North, Range

8 of 9 East 2<sup>d</sup> Mer. from which

a Creek 18 mi. dist. from N 43° E 17 lks. dist. of

a Do. — " " " S 43° W 21 " "

Land waving, Beech, Poplar, Oak, Hickory

## North Boundary

West On Rand. S. boundary of Sec. 36, T<sup>7</sup> N. R 28 E.

40.00 Set temp. gr. Sec. post

80.00 Set temp. Cor. to Sec. 35 of 36

Land level, timber Beech & Oak, Sugar &c.

West On Rand. S. boundary of Sec. 35, T<sup>7</sup> N. R 28 E.

13.70 a Brook 3 lks. wide Course S.

22.70 a Do. 10 " " " N 80° E

27.50 a Do. 20 " " " S. W.

40.00 Set temp. gr. Sec. post

62.40 a Brook 20 lks. wide Course S 15° E

75.50 a Creek 100 lks. wide Course S 75° E.

80.00 Set temp. Cor. to Sec. 34 of 35, on West bank  
of Creek, Land waving, timber, Beech, Oak,  
Sugar, Hickory, Poplar &c

T6 N. R8 E. 2<sup>nd</sup> Mer. Indiana

ch. lth.

West On Rand<sup>m</sup> S. boundary of Sec 34, T7 N. R8 E.

30.40 a Brook 8 lth. wide Course N. E.

40.00 Set temp<sup>y</sup>. q<sup>r</sup>. Sec. post

40.20 a Brook 5 lth. wide Course S. E.

80.00 Set temp<sup>y</sup>. Cor. to Sec<sup>s</sup> 33 & 34

Land waving, timber Beech, Oak, Gum &amp;c.

West On S. boundary of Sec. 33, T7 N. R8 E.

16.10 a Brook 10 lth. wide Course S. W.

29.50 a Do 6 " " " S.

40.00 Set temp<sup>y</sup>. q<sup>r</sup>. Sec. post

40.30 a Brook 4 lth. wide Course S. E.

80.00 Set temp<sup>y</sup>. Cor. to Sec<sup>s</sup> 32 & 33,

Land waving, Oak, Hickory, Ash, Beech &amp;c

West On Rand<sup>m</sup> S. boundary of Sec. 32, T7 N. R8 E.

8.60 a Brook 6 lth. wide Course N. W.

11.80 a Do. 6 " " " N. W.

40.00 Set temp<sup>y</sup>. q<sup>r</sup>. Sec. post a brook 15 lth. wide S. W.

44.75 a Brook 8 lth. wide Course S.

55.40 a Do. 8 " " " S.

63.00 a Do. 6 " " " S.

71.50 a Do. 10 " " " S.

76.70 a Do. 4 " " " S.

80.00 Set temp<sup>y</sup>. Cor. to Sec<sup>s</sup> 31 & 32

Land waving, timber Oak, Hickory, Beech, Ash &amp;c

West On Rand<sup>m</sup> S. boundary of Sec. 31, T7 N. R8 E.

10.18 a Brook 4 lth. wide Course S. W.

11.60 a Do. 6 " " " S.

72.70 a Do 8 " " " N 80 W

73.15 fell 106 lth. S. of post Cor. to Township

6 & 7 N. Range 7 & 8 East. Land waving  
timber Oak, Hickory, Beech, Ash &c.

East On true line S. boundary of Sec. 31, T7 N. R8 E.



T6 N R8 E. 2<sup>nd</sup>. Mer. Indiana 7

ch. 1/2

- 13.16 a Beech 13 mi. dist.  
33.15 Set gr. Sec. post, from which  
a Beech 17 mi. dist. bran N41 E 19 lrs. dist. of  
a Do. 13 " " " N89 W45 " "  
73.15 Set post Cor. to Sec. 31 & 32, T6 N. R8 E, from which  
a Beech 15 mi. dist. bran N59 W21 lrs. dist. of  
a Do. 11 " " " N59 E11 " "
- 

East On true line S. boundary of Sec. 32, T6 N. R8 E

- 21.00 a P. Oak 36 mi. dist.  
40.00 Set gr. Sec. post, from which  
a Sugar 15 mi. dist. bran N29 E 48 lrs. dist. of  
a Do. 10 " " " N71 W40 " "  
80.00 Set post Cor. to Sec. 32 & 33, T6 N. R8 E, from which  
a Hickory 20 mi. dist. bran N59 W7 lrs. dist. of  
a W. Oak 24 " " " N62 E30 " "
- 

East On true line S. boundary of Sec. 33, T6 N. R8 E.

- 40.00 Set gr. Sec. post, from which  
a W. Oak 16 mi. dist. bran N53 E 23 lrs. dist. of  
a Hickory 13 " " " N38 W7 " "  
60.10 a Poplar 40 " "  
80.00 Set post Cor. to Sec. 33 & 34, T6 N. R8 E, from which  
a Poplar 42 mi. dist. bran N66 E10 lrs. dist. of  
a Sugar 12 " " " N31 W26 " "
- 

East On true line S. boundary of Sec. 34, T6 N. R8 E.

- 20.40 a Sweet Gum 18 mi. dist.  
40.00 Set gr. Sec. post, from which  
a Beech 9 mi. dist. bran N47 E11 lrs. dist. of  
a Do. 16 " " " N9 W31 " "  
80.00 Set post Cor. to Sec. 34 & 35, T6 N. R8 E, from which  
a Maple 13 mi. dist. bran N17 E16 lrs. dist. of  
a Beech 5 " " " N67 W7 " "
- 

East On true line S. boundary of Sec. 35, T6 N. R8 E.



T<sup>h</sup> 1<sup>st</sup> R 8 E 2<sup>d</sup> Mer. Indiana

ch. lth

40.00 Set of Sec. post, from which  
 at Beech 38 in. diam. beam N 61° W 2 lth. dist. of  
 a do. 18 " " " S 28° W 6 " "  
 80.00 Set post cor. to Sec. 35 & 36, T<sup>h</sup> 1<sup>st</sup> R 8 E, from which  
 at Beech 20 in. diam. beam N 60° E 16 lth. dist. of  
 a do. 18 " " " N 61° W 20 " "

East Outtrue line S. boundary of Sec. 36, T<sup>h</sup> 1<sup>st</sup> R 8 E.

36.25 a W. Oak 36 in. diam. beam

40.00 Set of Sec. post, from which  
 a W. Oak 60 in. diam. beam N 55° E 16 lth. dist. of  
 a Beech 8 " " " S 16½° E 19 " "

56.03 a do. 36 " "

63.08 a W. Oak 40 " "

80.00 to the Township Corner.

November 9<sup>th</sup>, 1806

Surveyed by John Brownson U. S.

West Boundary var. 5.50' E.

North On E. boundary of Sec. 36, T<sup>h</sup> 1<sup>st</sup> R 7 E.

4.00 a Brook 3 lth. wide Course W.

7.96 a Beech 12 in. diam.

23.00 a Brook 3 lth. wide Course W.

40.00 Set of Sec. post, from which

at Beech 12 in. diam. beam S 17° E 14 lth. dist. of

a do. 8 " " " N 48° W 30 " "

40.50 a Brook 3 lth. wide Course W

80.00 Set post cor. to Sec. 25 & 36, T<sup>h</sup> 1<sup>st</sup> R 7 E, from which

First ½ mile level land, timber Beech, Poplar

Oak &amp;c. - last ½ fallen timber thicket

North On E. boundary of Sec. 25, T<sup>h</sup> 1<sup>st</sup> R 7 E.

7.84 a Poplar 60 in. diam.

11.00 a Brook 3 lth. wide Course E.

18.00 a do. 20 " " " N. W.

21.00 a do. 2 " " " N. E.

# T6 N. R8 E. 2<sup>d</sup>. Mer. Indiana<sup>9</sup>

- ch. lth  
 25.00 loopt the Brook  
 27.00 do. do  
 35.00 a Brook 3 lth. wide Course E.  
 40.00 Set q. Sec. post, from which  
 an Ash — in. dia. bray S37 E 18 lth. dist. of  
 a Beech 16 " " " N54 W30 " "  
 50.73 a do. 12 " "  
 65.00 a Brook 3 lth. wide Course E.  
 78.00 a do 20 " " " NW.  
 80.00 Set post cor. to Sec. 24 & 25, T6 N. R7 E, from which  
 a Beech 8 in. dia. bray N44 W10 lth. dist. of  
 a do. 8 " " " S33 W30 " "  
 Rich land, timber Beech, Sugar, Oak &c.

## North On E. boundary of Sec. 24, T6 N. R7 E.

- 11.27 an Elm 12 in. dia.  
 12.00 a large Cave — Spring 100 lth. E. of line  
 40.00 Set q. Sec. post, from which  
 a Cherry — in. dia. bray N52 W7 lth. dist. of  
 a Beech 16 " " " N48 E 14 " "  
 45.00 a Creek 30 lth. wide Course N.E.  
 55.90 a Sugar 12 in. dia.  
 57.00 a Creek 30 lth. wide Course N.E.  
 74.50 a do. 200 " " " W.  
 80.00 Set post cor. to Sec. 13 & 24, T6 N. R7 E, from which  
 a Beech 16 in. dia. bray N46 E 21 lth. dist. of  
 a do. 16 " " " S40 W16 " "  
 Rich land timber Beech, Sugar, Oak &c.

## North On E. boundary of Sec. 13, T6 N. R7 E.

- 40.00 Set q. Sec. post, from which  
 a Beech 12 in. dia. bray S86 W3 lth. dist. of  
 a do. 10 " " " N86 E 14 " "  
 69.00 a Creek 50 lth. wide Course S.W.  
 80.00 Set post cor. to Sec. 12 & 13, T6 N. R7 E, from which  
 a Beech 3 in. dia. bray N44 W30 lth. dist. of

Sec. 12, T8E, R2E, Mer. Ind.

ch. 1/2.

a Beech 16 in. diam. bears S61E 25 lns. dist. -  
First 1/2 (wet bottom), Beech, Lysamou &c. last 1/2  
Good, land timber Beech, Oak, Ash &c.

Oct. 1<sup>st</sup> 1886

North On E. boundary of Sec. 12, T8E, R7E.

5.00 a Brook 20 lns. wide Course E.

14.40 a R. Oak 16 in. diam.

40.00 Set gr. Sec. post, from which

a W. Oak 50 in. diam. bears N62E 36 lns. dist. of

a Beech 16 " " " N67W 53 " "

46.00 a Brook 3 lns. wide Course S. E.

60.80 a Beech 14 in. diam.

80.00 Set post, Cor. to Sec. 1, 12, T8E, R7E, from which

a R. Oak 36 in. diam. bears N13E 26 lns. dist. of

a Beech 14 " " " N24W 27 " "

Rich land rich soil, timber Beech, Oak, Ash &c.

North On E. boundary of Sec. 1, T8E, R7E.

21.00 a Brook 3 lns. wide Course W.

21.60 a Beech 24 in. diam.

33.00 a Brook 4 lns. wide Course N.W.

40.00 Set gr. Sec. post, from which

a Gum 18 in. diam. bears N82W 25 lns. dist. of

a Do. 16 " " " N84E 20 " "

51.80 a Beech 12 " "

67.50 a Brook 4 lns. wide Course N.W.

79.50 a Do 3 " " " N.W.

80.00 Set post Cor. to Township 69, N. Range

7 & 8 East, from which, from which

a R. Oak 36 in. diam. bears N53E 31 lns. dist. of

a W. Oak 30 " " " N38W 48 " "

First 1/2 level, last 1/2 uneven timber Beech, Oak &c.

Surveyed in 1886 by

Alexander Holmes, L.S.



# Sec. 128 E. 2<sup>nd</sup> Mer. Indiana 11

ch. lth.

Subdivision. Dec. 13<sup>th</sup> 1806

North Between Sec. 35 & 36, T6 N. R8 E.

19.25 a Sugar 12 in. dia.

40.00 Set of Sec. post, from which

a R. Oak 10 in. dia. bray N16 E 10 lth. dist. of

a dogwood 8 " " " S85 W 4 " "

41.00 a Creek 150 lth. wide Course West

65.87 a Beech 20 in. dia.

80.00 Set post Co. to Sec. 25, 26, 35 & 36, from which

a Beech 10 in. dia. bray S40 W 9 lth. dist. of

a do 10 " " " S87 E 11 " "

Land rather rolling, timber Beech, Poplar  
Ash, Sugar tree, hunder<sup>g</sup>. Spruce, good farming  
land.

East On Rand. between Sec. 25 & 36

40.00 Set temp. of Sec. post

80.85 intersected the Co. boundary 172 lth. S. of post  
Land rolling, timber same good farming land

West on true line between Sec. 25 & 36

40.42 Set of Sec. post at average dist. from which

a Beech 7 in. dia. bray S72 W 17 lth. dist. of

a do 24 " " " S85 E 5 " "

80.85 to Sec. Corner.

North Between Sec. 25 & 26

22.28 a Beech 27 in. dia.

40.00 Set of Sec. post, from which

a Beech 12 in. dia. bray East 16 lth. dist. of

a do. 20 " " " N37 W 17 " "

42.50 a small brook Course S. E.

60.04 a Beech 18 in. dia.

80.00 Set post Co. to Sec. 23, 24, 25 & 26, from which

a Beech 10 in. dia. bray N45 E 23 lth. dist. of

a do 10 " " " N66 W 15 " "

12

St R & E. 2<sup>d</sup> Mer. Indiana  
 ch. 1<sup>st</sup> Sand timber &c. same as on last mile

East On Rand<sup>m</sup>. between Sec<sup>s</sup>. 24 & 25

40.00 Set temp<sup>y</sup>. gr. Sec. post

80.60 Intersected the E. boundary 6<sup>th</sup>. N. of post  
 Sand timber same good farming land

West On true line between Sec<sup>s</sup>. 24 & 25

40.30 Set gr. Sec. post, at average dist. from which  
 a Beech 12 mi. dist. by N 49 W 6<sup>th</sup>. dist. of  
 a Do. 15 " " " N 45 E 25 " "

80.60 to Sec. Corner.

North Between Sec<sup>s</sup>. 23 & 24

20.31 a S. Gum 14<sup>th</sup>. dist.

40.00 Set gr. Sec. post, from which

a Beech 14 mi. dist. by N 78 E 22<sup>th</sup>. dist. of

a Do. 30 " " " N 83 W 19 " "

66.22 a Do. 13 " "

80.00 Set post Cor. to Sec<sup>s</sup>. 13, 14, 23 & 24, from which

an Ironwood 5 mi. dist. by N 51 E 10<sup>th</sup>. dist. of

a Beech 14 " " " N 51 W 9 " "

Sand timber same as on the last mile

East On Rand<sup>m</sup>. between Sec<sup>s</sup>. 13 & 24

3.00 a Creek 15<sup>th</sup>. wide Course N. N.

40.00 Set temp<sup>y</sup>. gr. Sec. post

80.39 Intersected E. boundary exactly at the post  
 Sand water broken, timber same (muddling  
 farming land)

West On true line between Sec<sup>s</sup>. 13 & 24

40.20 Set gr. Sec. post at average dist. from which

a Beech 6 mi. dist. by N 10 W 12<sup>th</sup>. dist. of

a Do. 14 " " " N 43 E 31 " "

80.39 to Sec. Corner.

# 13

## S. 6. N. 8 E. 2<sup>d</sup>. Mer. Indiana

ch. 1<sup>st</sup> 1/2

North Between Sec. 13 & 14

- 1.00 a creek 15 ft. wide Course N.W.  
 25.50 a small brook Course S.W.  
 27.42 a B. Ash 18 in. dia.  
 40.00 Let q. Sec. post, from which  
     a Beech 11 in. dia. - bay N 46 W 9 ft. dist. of  
     a Do. 9 " " " N 18 E 25 " "  
 59.60 a Gr. Ash 30 " "  
 80.00 Let post Cor. to Sec. 11, 12, 13 & 14, from which  
     a Beech 7 in. dia. - bay N 22 E 12 ft. dist. of  
     a Do. 7 " " " N 30 E 10 " "  
 Land broken, timber same middling farming  
 land, December 14<sup>th</sup> 1806
- 

East On Rand<sup>m</sup>. between Sec. 12 & 13

- 40.00 Let temp. q. Sec. post  
 80.73 Intersected the E. boundary 37 ft. S. of post  
 Land rolling timber same, good farming land
- 

West On true line between Sec. 12 & 13

- 40.36 Let q. Sec. post at average dist. from which  
     a Beech 12 in. dia. - bay N 47 W 29 ft. dist. of  
     a Do. 13 " " " N 23 W 20 " "  
 80.73 to Sec. Corner
- 

North Between Sec. 11 & 12.

- 21.98 a Beech 11 in. dia.  
 40.00 Let q. Sec. post from which  
     a Beech 20 in. dia. - bay N 49 W 8 ft. dist. of  
     a Do. 4 " " " N 51 E 30 " "  
 65.50 a Creek 10 ft. wide Course N.W.  
 80.00 Let post Cor. to Sec. 1, 2, 11 & 12, from which  
     a Beech 14 in. dia. - bay N 56 E 20 ft. dist. of  
     a Do. 15 " " " N 30 W 31 " "  
 Land broken, timber same, not very farming land
-



T6. N. 128 E. 2<sup>d</sup>. Mer. Indiana

ch. lth.

East On Rand<sup>m</sup>. between Sec. 1 & 12

40.00 Set temp. q. Sec. post

81.28 Intersected the N & S. line 47 lth. S. of post  
Land rolling timber same - good farming land

West On true line between Sec. 1 &amp; 12

40.64 Set q. Sec. post at average dist. from which  
a Sugar 12 in. dia. bray 130 E 22 lth. dist. of  
a Beech 11 " " " N 21 W 13 " "

81.28 to Sec. Corner.

North Between Sec. 1 &amp; 2

40.00 Set q. Sec. post, from which  
a Beech 9 in. dia. bray 186 E 37 lth. dist. of  
a No. 30 " " " N 55 W 12

61.30 a No 12 " "

81.24 Intersected the st. boundary 102 lth. N. of post  
Set post Cor. to Sec. 1 & 2, from which  
a Beech 20 in. dia. bray 155 E 14 lth. dist. of  
a W. Ash 12 " " " 158 W 44 " "  
The first 1/2 mile broken - the last rolling  
timber same, underg<sup>m</sup>. Spice & Greenbrier, the  
last 1/2 mile good farming landDecember 15<sup>th</sup>. 1806

North Between Sec. 34 &amp; 35

14.50 a Creek 150 lth. wide Course S. W

21.51 a Beech 7 in. dia.

40.00 Set q. Sec. post, from which  
a Beech 8 in. dia. bray N 10 W 28 lth. dist. of  
a No 12 " " " 19 W 18 " "

60.67 a No 18 " "

80.00 Set post Cor. to Sec. 26, 27, 34 & 35, from which  
a Beech 9 in. dia. bray N 20 E 17 lth. dist. of  
a Poplar 36 " " " 135 W 11 " "  
Land rolling, timber Beech, Poplar, Ash

15

West R & E. 2<sup>nd</sup> Mer. Indiana  
ch. lth.  
Gum, Sugar, Hackberry &c. some pines underg<sup>th</sup>,  
good farming land

---

East On Rand<sup>m</sup> between Sec<sup>s</sup>. 26 & 35  
40.00 Set temp<sup>y</sup>. gr. Sec. post  
80.17 Intersected the N & S. line 87 lth. N. of post  
Sand timber &c. Same as on the last mile

---

West On true line between Sec<sup>s</sup>. 26 & 35  
40.08 Set gr. Sec. post at average dist. from which  
a S. Gum 30 in. dia. bray N 43° W 20 lth. dist. of  
a Beech 12 " " " S 89° E 17 " "  
80.17 to Sec. Corner.

---

North Between Sec<sup>s</sup>. 26 & 27  
17.50 a Brook 10 lth. wide Course S. W.  
23.65 a Beech 20 in. dia.  
40.00 Set gr. Sec. post, from which  
a Beech 11 in. dia. bray N 79° E 16 lth. dist. of  
a No. 15 " " " S 80° W 14 " "  
80.00 Set post Cor to Sec<sup>s</sup>. 22, 23, 26 & 27, from which  
a Beech 5 in. dia. bray S 68° E 11 lth. dist. of  
a No. 30 " " " S 43° E 23 " "  
Sand timber &c. Same as on the last mile

---

East On Rand<sup>m</sup> between Sec<sup>s</sup>. 23 & 26  
40.00 Set temp<sup>y</sup>. gr. Sec. post  
81.50 Intersected the N & S. line 20 lth. S. of post  
Sand timber &c. Same as on the last mile

---

West On true line between Sec<sup>s</sup>. 23 & 26  
40.75 Set gr. Sec. post at average dist. from which  
a Beech 6 in. dia. bray N 52° E 20 lth. dist. of  
a No. 15 " " " S 58° W 20 " "  
81.50 to Sec. Corner

---

# T. N. N 8 E. 2<sup>nd</sup> Mer. Indiana

ch. lth.

North Between Sec. 22 & 23

16.44 a Buckeye 10 mi. dist.

30.50 a Creek 20 lth. wide Course N.W. nearly dry

40.00 Let q<sup>r</sup>. Sec. post, from which

a Beech 12 mi. dist. by N 55 W 22 lth. dist. of

a Do. 12 " " " N 48 E 20 " "

58.27 a Sugar 14 " "

80.00 Let post Cor. to Sec. 14, 15, 22 & 23, from which

a Beech 15 mi. dist. by N 16 W 20 lth. dist. of

a Do 22 " " " N 11 E 24 " "

Land very rolling, timber Beech, Sugar  
Ash, Poplar, some Buckeye & Walnut  
underg<sup>rd</sup>. Spec. good farming land

East On Rand<sup>m</sup>. between Sec. 14 & 23

40.00 Let temp<sup>y</sup>. q<sup>r</sup>. Sec. post

80.70 Intersected the N & S. line 50 lth. S. of post  
Over broken land, timber same, not good  
farming land, too broken

West On true line between Sec. 14 & 23

40.35 Let q<sup>r</sup>. Sec. post at average dist. from which

a Beech 30 mi. dist. by N 68 E 9 lth. dist. of

a Do. 11 " " " N 80 W 31 " "

80.70 to Sec. Corner

North Between Sec. 14 & 15

19.00 a Creek 30 lth. wide Course S.W.

20.25 a Beech 8 mi. dist. by

40.00 Let q<sup>r</sup>. Sec. post, from which

a Sugar 12 mi. dist. by N 44 E 12 lth. dist. of

a Beech 24 " " " N 62 W 10 " "

43.00 a Small brook Course S.W.

57.50 a Do " West

67.29 a Beech 10 mi. dist.

80.00 Let post Cor. to Sec. 10, 11, 14 & 15, from which



17

S 6 N N 8 E. 2<sup>nd</sup> Mer. Indiana  
Ch. 6<sup>th</sup>  
a Beech 18 in. dia. bears N 10 W 8 lns. dist. of  
a Do. 13 " " " S 4 W 82 " "  
Land broken & shilly, timber Beech, Sugar &c.  
poor farming land.

---

East On Rand<sup>m</sup>. between Sec. 11 & 14  
40.00 Set temp<sup>y</sup>. of Sec. post  
79.25 Intersected the N of S. line 124 lns. S. of post  
Land rolling timber Beech, Sugar, Poplar  
Ash &c. Middling farming land

---

West On true line between Sec. 11 & 14  
39.62<sup>nd</sup> Set of Sec. post at averaged dist. from which  
a Beech 6 in. dia. bears N 36 E 11 lns. dist. &  
a Gum 5 " " " S 7 E 14 " "  
79.25 to Section Corner

---

North Between Sec. 10 & 11. S 6 N N 8 E.  
8.00 a Creek 1.50 lns. wide Course S. W.  
26.50 a Do. 1.50 " " " S. E.  
29.45 a Beech 10 in. dia.  
35.50 a Creek 1.50 lns. wide Course S. W.  
40.00 Set of Sec. post, from which  
a Beech 6 in. dia. bears S 36 E 5 lns. dist. of  
a Sugar 11 " " " N 70 W 12 " "  
67.00 to a Bend in the Creek 150 lns. wide  
80.00 Set post Cor. to Sec. 2, 3, 10 & 11, from which  
a Sugar 18 in. dia. bears S 42 E 43 lns. dist. of  
a Beech 20 " " " N 56 W 27 " "  
Land broken with the Creek good Soil,  
timber Beech, Sugar, Poplar, Ash &c.  
Middling farming land

---

East On Rand<sup>m</sup>. between Sec. 2 & 11  
30.50 a Creek 100 lns. wide Course S. W.  
45.00 a Do. 100 lns. " " S. W.

T6. N. R8 E. 2<sup>nd</sup>. Mer. Indiana

ch. lth.

- 57.00 a Creek 100 lth. wide Course N.W.  
 78.09 Intersected the N of S. line 57 lth. S. of post  
 The first 1/2 mile good land, the last 1/2 mile  
 Broken timber same as last mile
- 

- West On true line between Sec. 2 of 11  
 39.04 1/2 Set q. Sec. post at average dist. from which  
 a Beech 7 mi. dist. bear N 49 E 17 lth. dist. of  
 a do. 20 " " " N 77 W 13 " "  
 78.09 to Sec. Corner
- 

- North Between Sec. 2 of 3  
 19.24 a Sugar 20 mi. dist.  
 28.00 a Creek 100 lth. wide Course S. E.  
 38.00 a do. 100 " " " S. W  
 40.00 Set q. Sec. post, from which  
 a Sugar 18 mi. dist. bear N 30 E 4 lth. dist. of  
 a Beech 12 " " " S 54 W 14 " "  
 68.00 a Beech 15 " "  
 82.09 Intersected the N. boundary 65 lth. N. of post  
 Set post Cor. to Sec. 2 of 3, from which  
 a Beech 15 mi. dist. bear N 17 E 22 lth. dist. of  
 a do. 8 " " " S 78 W 17 " "  
 Over good land rather rolling timber  
 Beech, Poplar, Ash, Sugar &c. running  
 Spruce; good farming land
- 

December 17<sup>th</sup>, 1876

- North Between Sec. 33 of 34  
 21.60 a S. Gum 27 mi. dist.  
 40.00 Set q. Sec. post, from which  
 a W. Oak 36 mi. dist. bear S 64 E 3 lth. dist. of  
 a S. Gum 12 " " " N 29 W 21 " "  
 60.49 a Beech 12 " "  
 80.00 Set post Cor. to Sec. 27, 28, 33 of 34, from which  
 a Beech 8 mi. dist. bear N 17 E 8 lth. dist. of

Plot V P 8 E. 2<sup>nd</sup> Mer. Indiana <sup>19</sup>  
ch. 1<sup>st</sup> l<sup>th</sup>  
a Beech 12 in. dia. bray N 10 W 20 l<sup>th</sup>. dist  
Land flat timber W. Oak, Beech, Gum &c.  
Middling farming land

---

East On Rand<sup>m</sup>. between Sec<sup>s</sup>. 27 & 34  
40.00 Set temp<sup>y</sup>. g<sup>r</sup>. Sec. post  
79.82 Intersected N & S. line 47 l<sup>th</sup>. North of post  
The first  $\frac{1}{4}$  mile land of timber same - last  $\frac{3}{4}$   
rolling, timber Beech & Poplar principally  
underg<sup>d</sup>. Spruce Middling good farming land

---

West On true line <sup>between</sup> Sec<sup>s</sup>. 27 & 34  
39.96 Set g<sup>r</sup>. Sec. post at average dist. from which  
a Poplar 36 in. dia. bray N 4 W 13 l<sup>th</sup>. dist. of  
a do. 36 " " " N 18 W 38 " "  
79.82 to Sec. Corner.

---

North between Sec<sup>s</sup>. 27 & 28  
18.61 a Beech 10 in. dia.  
40.00 Set g<sup>r</sup>. Sec. post, from which  
a W. Ash 10 in. dia. bray N 28 E 27 l<sup>th</sup>. dist. of  
a Poplar 36 " " " S 32 W 18 " "  
62.73 a B. Walnut 9 " "  
80.00 Set post Cor. to Sec<sup>s</sup>. 21, 22, 27 & 28, from which  
a Beech 12 in. dia. bray S 68 E 22 l<sup>th</sup>. dist. of  
a do. 18 " " " N 46 W 18 " "  
Land rather rolling, timber Beech, Sugar, Poplar  
Sassafras, Oak, Ash, Walnut, Hickory, Gum &c.  
Middling good farming land

---

East On Rand<sup>m</sup>. between Sec<sup>s</sup>. 22 & 27  
34.00 a Creek 20 l<sup>th</sup>. wide Course N.W.  
40.00 Set temp<sup>y</sup>. g<sup>r</sup>. Sec. post temporarily  
80.08 Intersected N & S. line 88 l<sup>th</sup>. N. of post  
Land rolling timber principally Beech, Poplar  
Sugar &c. good farming land, underg<sup>d</sup>. Spruce

---



T6 N R8 E 2<sup>d</sup> Mer. Indianach<sup>d</sup> l<sup>y</sup>.West On true line between Sec<sup>s</sup>. 22 & 27

40.04 Set q<sup>r</sup>. Sec. post at average dist. from which  
 a Sugar 20 mi. dist. bear N 66 E 24 l<sup>y</sup>. dist. of  
 a Beech 18 " " " N 42 W 28 " "

80.08 to Sec. Corner

North Between Sec<sup>s</sup>. 21 & 22

40.00 Set q<sup>r</sup>. Sec. post, from which  
 a Beech 12 mi. dist. bear N 41 W 19 l<sup>y</sup>. dist. of  
 a Do. 15 " " " N 44 W 26 " "

62.00 a Creek 150 l<sup>y</sup>. wide Course S. W

65.36 a Beech 18 mi. dist.

80.00 a Beech 11 " " Cor. to Sec<sup>s</sup>. 15, 16, 21 & 22

Land rolling good 2<sup>d</sup> rate, timber Beech  
 Poplar, Sugar, Ash &c. undr<sup>y</sup>. Spruce  
 good farming land

East On Rand<sup>m</sup>. between Sec<sup>s</sup>. 15 & 22

30.00 a Small Brook Course S. E.

51.00 a Creek 150 l<sup>y</sup>. wide Course South80.66 Intersected the N of S. line 182 l<sup>y</sup>. N. of post

The first  $\frac{3}{4}$  mile same, the last Broken, timber  
 same, the first  $\frac{3}{4}$  good farming land

West On true line between Sec<sup>s</sup>. 15 & 22

40.33 Set q<sup>r</sup>. Sec. post, at average dist. from which  
 is a Beech 10 mi. dist. Marked for Corner

80.66 to Sec. Corner

North Between Sec<sup>s</sup>. 32 & 33, Dec<sup>r</sup>. 18<sup>th</sup>. 1806

1.00 a Small brook Course S. E.

19.45 a Poplar 27 mi. dist.

40.00 Set q<sup>r</sup>. Sec. post, from which

an Elm 11 mi. dist. bear S 89 E 34 l<sup>y</sup>. dist. of  
 a Beech 12 " " " N 30 W 15 " "

62.77 a Beech 12 " "

21

N 61° E 2<sup>nd</sup> Mer. Indiana  
 ch. lhy  
 80.00 Let post Cor. to Secs. 28, 29, 32 & 33, from which  
 a Sugar 10 mi. dist. by N 61° E 15 lrs. dist. of  
 a Beech 14 " " " S 64° W 27 "  
 Good flat, timber Beech, Gum, Poplar &c.  
 Some Spice underg<sup>th</sup>, the last 1/2 mile midd-  
 ling farming land

---

East On Rand<sup>m</sup> between Secs. 28 & 33  
 14.50 a Brook 10 lrs. wide Course N. W.  
 40.00 Let temp<sup>y</sup>. of Sec. post  
 79.91 Intersected the S of S line 166 lrs. S. of post  
 The first 1/2 mile rolling - the last 1/2 flat, timber  
 Beech, Poplar, Gum, Ash &c. underg<sup>th</sup> Spice  
 green briars &c. (Middling farming land)

---

West On true line between Secs. 28 & 33  
 39.95 Let of Sec. post at average dist. from which  
 a Beech 15 mi. dist. by N 38° E 18 lrs. dist. of  
 a Do. 15 " " " N 75° W 15 " "  
 79.91 to Sec. Corner

---

North Between Secs. 28 & 29  
 4.00 a Small brook Course N. E.  
 40.00 Let of Sec. post, from which  
 a Beech 18 mi. dist. by N 44° W 23 lrs. dist. of  
 a Do 18 " " " N 21° E 15 " "  
 62.24 a Poplar 11 " "  
 80.00 Let post Cor. to Secs. 20, 21, 28 & 29, from which  
 a Beech 15 mi. dist. by N 83° E 32 lrs. dist. of  
 an Elm 8 " " " S 53° W 18 " "  
 Over rolling 2<sup>nd</sup> rate land, timber Beech, Ash,  
 Poplar, Sugar &c. underg<sup>th</sup> Spice &c. good  
 farming land

---

East On Rand<sup>m</sup> between Secs. 21 & 28  
 40.00 Let temp<sup>y</sup>. of Sec. post

22

S. 6. N. 18 E. 2<sup>d</sup>. Mer. Indiana

ch. 1/2

79.98 Intersected the N of S. line 36<sup>th</sup>. N. of post  
Land timber &c. same as on the last mile

West On true line between Sec. 21 &amp; 28

39.99 Set q. Sec. post at average dist. from which  
a Sassafras 10 in. dia. bear 168<sup>th</sup> 3<sup>th</sup> dist. of  
a Do. 10 " " " 172 E 25 " "

79.98 to Sec. Corner

North Between Sec. 20 &amp; 21

4.00 a Spring 200<sup>th</sup>. West of the line  
20.82 a Cherry 12 in. dia.

40.00 Set q. Sec. post, from which  
a Beech 14 in. dia. bear 154<sup>th</sup> 18<sup>th</sup> dist. of  
a Do. 14 " " " N 35 E 35 " "

59.50 a Creek 150<sup>th</sup>. wide Course N. W.

66.50 a Brook 15 " " " N. W.

80.00 Set post Cor. to Sec. 16, 17, 20 & 21, from which  
a Beech 24 in. dia. bear 161<sup>th</sup> 47<sup>th</sup> dist. of  
a Do 9 " " " N 47 E 10 " "  
Land rolling the last 1/2 mile good 2<sup>d</sup>. rate  
timber Beech, Poplar, Sugar, Ash, Walnut &c.  
under<sup>ly</sup> Spruce, good farming land

East On Rand<sup>m</sup>. between Sec. 16 & 21

2.50 a Brook 12<sup>th</sup>. wide Course S. W.

40.00 Set temp. q. Sec. post

80.08 Intersected the N of S. line 100<sup>th</sup>. N. of post  
Land rolling, timber same, good farming land

West On true line between Sec. 16 &amp; 21

40.04 Set q. Sec. post at average dist. from which  
a Beech 20 in. dia. bear 189<sup>th</sup> 37<sup>th</sup> dist. of  
a W. Ash 12 " " " 181<sup>th</sup> 27 " "

80.08 to Sec. Corner

# 23

## S. N. R. E. 2<sup>d</sup> Mer. Indiana

ch. lks

December 19<sup>th</sup>, 1876

North Between Sec. 15 & 16

16.43 a W. Oak 11 m. dist.

40.00 Set q. Sec. post, from which

a B. Oak 30 m. dist. by 159 E 9 lks. dist. of

a Beech 10 " " " 159 W 19 " "

60.00 a Small brook Course S. W.

80.00 Set post Cor. to Sec. 9, 10, 15 & 16, from which

a Beech 7 m. dist. by 145 W 20 lks. dist. of

a Do. 37 " " " 127 W 23 " "

The first 1/2 mile good farming land - the last  
broken 3<sup>d</sup> rate poor farming land

East On Randm. between Sec. 10 & 15

40.00 Set temp. q. Sec. post

80.90 intersected the N & S line 100 lks. N. of post

Land broken, timber same, poor farming land.

West On true line between Sec. 10 & 15

40.45 Set q. Sec. post at average dist. from which

a Beech 10 m. dist. by 149 E 12 lks. dist. of

a Do 18 " " " 145 W 10 " "

80.90 to Sec. Corner

North Between Sec. 9 & 10 var. 5.00' E

23.49 a Beech 15 m. dist.

40.00 Set q. Sec. post, from which

a Beech 12 m. dist. by 145 E 15 lks. dist. of

a Do. 18 " " " 128 W 24 " "

64.89 a Do 7 " "

65.50 a Small brook Course West

80.00 Set post Cor. to Sec. 3, 4, 9 & 10, from which

a B. Gum 18 m. dist. by 143 W 4 lks. dist. of

a W. Oak 18 " " " 143 E 16 " "

Land broken, timber same, poor farming land



24

St. R & E. 2<sup>nd</sup> Mer. Indiana

ch<sup>2</sup> l<sup>th</sup>  
East On Land<sup>m</sup> between Sec. 3 & 10. var. 5.00' E

6.00 a small brook Course S. W.

40.00 Set temp<sup>y</sup>. gr. Sec. post

44.50 a Creek 150 l<sup>th</sup>. wide Course South

67.00 a same 150 " " " N. W.

81.19 Intersected the N & S line 51 l<sup>th</sup> N. of post  
The first 1/2 mile land & timber same - the last  
1/2 Creek bottom & good farming land

Post On true line between Sec. 3 & 10

40.59 Set gr. Sec. post at average dist. from which  
a Beech 7 mi. dist. bearing S 9 E 15 l<sup>th</sup>. dist. of  
a Dogw<sup>d</sup>? 6 " " " N 61 W 10 " "

81.19 to Sec. Corner

North Between Sec. 3 & 4

19.15 a Beech 9 mi. dist.

21.50 a small brook Course S. E.

40.00 Set gr. Sec. post, from which

a Beech 10 mi. dist. bearing S 87 E 21 l<sup>th</sup>. dist. of

a Dogw<sup>d</sup>. 20 " " " S 73 W 44 " "

81.04 Intersected the N. boundary 63 l<sup>th</sup> N. of post

Set post Cor. to Sec. 3 & 4, from which

a Sugar 12 mi. dist. bearing S 15 W 21 l<sup>th</sup>. dist. of

a Beech 11 " " " N 2 W 47 " "

The first 1/2 mile rather broken - the last 1/2  
mile level, timber, Beech, Poplar, Gum, Ash,  
Sugar &c. thick underg<sup>m</sup> of Dogwood, Jessup,  
&c. Not good farming land. Dec. 20<sup>th</sup> 1806

North Between Sec. 16 & 17

19.71 a Beech 12 mi. dist.

40.00 Set gr. Sec. post, from which

a Beech 18 mi. dist. bearing S 73 W 2 l<sup>th</sup>. dist. of

a Sugar 24 " " " N 45 E 44 " "

60.04 a Beech 11 " "

# 25

## To N. R. & E. 2<sup>nd</sup> Mer. Indiana

ch. l. l. m.

62.34 a Creek 20 l. m. wide Course West

80.00 Set post Cor. to Sec. 8, 9, 16 & 17, from which  
a Beech 7 m. dir. bray N 6 E 19 l. m. dist. of  
a Do. 10 " " " N 61 W 31 " "

Land 2<sup>nd</sup> rate, timber, Beech, Poplar, Sugar,  
Ash &c. The first  $\frac{3}{4}$  broken - the last  $\frac{1}{4}$  creek  
bottom, mending<sup>th</sup> price

East On Rand<sup>m</sup>. between Sec. 9 & 16. var 5.10 E

17.50 a Creek 30 l. m. wide Course S.

40.00 Set tim. p. y. q. Sec. post

80.40 Intersected the N of S line 69 l. m. S. of post  
The first  $\frac{1}{4}$  Creek bottom - the last  $\frac{3}{4}$  broken  
timber same, poor farming land

West On true line between Sec. 9 & 16

40.20 Set q. Sec. post at average dist. from which  
a W. Oak 18 m. dir. bray S 28 W 27 l. m. dist  
a Beech 10 " " " N 33 E 10 " "

80.40 to Sec. Corner

North Between Sec. 8 & 9

19.41 a Beech 10 m. dir.

40.00 Set q. Sec. post, from which  
a Beech 20 m. dir. bray S 4 E 18 l. m. dist. of  
an Elm 10 " " " N 4 E 22 " "

80.00 Set post Cor. to Sec. 4, 5, 8 & 9, from which  
a Poplar 7 m. dir. bray S 28 E 28 l. m. dist. of  
a Beech 10 " " " N 8 W 47 " "  
Land rather broken, timber same, poor farming land.

East On Rand<sup>m</sup>. between Sec. 4 & 9 var 5.40 E.

40.00 Set tim. p. y. q. Sec. post

81.00 Intersected the N of S line 15 l. m. N. of post  
Land timber &c. same as on the last mile

ch. lth  
West On true line between Secs. 4 & 9  
40.50 Set q. Sec. post at average dist. from which  
a Cassia 10 mi. dist. bear N 60° W 11 mi. dist. of  
a W. Ash 9 " " " N 76° E 13 " "  
81.00 to Sec. Corner. Dec. 21<sup>st</sup> 1886

---

North Between Secs. 31 & 32  
24.94 a Beech 10 mi. dist.  
40.00 Set q. Sec. post, from which  
a Hickory 12 mi. dist. bear S 82° W 24 mi. dist. of  
a Poplar 15 " " " N 89° E 9 " "  
63.29 a Beech 12 " "  
80.00 Set post Cor. to Secs. 29, 30, 31 & 32, from which  
a Beech 10 mi. dist. bear S 50° W 18 mi. dist. of  
a Hickory 18 " " " N 45° E 3 " "  
Sand level, timber, Beech, Poplar, Gum  
Hickory, poor farming land, Soil thin

---

East On Rand<sup>m</sup>. between Secs. 29 & 32, var 5.40' E.  
40.00 Set temp. q. Sec. post  
80.31 Intersected the N. S. line 10 mi. N. of post  
Sand & timber same poor farming land

---

West On true line between Secs. 29 & 32  
40.15 Set q. Sec. post at average dist. from which  
a Hickory 15 mi. dist. bear N 18° E 11 mi. dist. of  
a Beech 11 " " " S 39° W 10 " "  
80.31 to Sec. Corner

---

West Between Secs. 30 & 31  
36.50 a small brook Course N. W.  
40.00 Set q. Sec. post from which  
a Beech 14 mi. dist. bear N 63° W 8 mi. dist. of  
a Llo 11 " " " S 58° E 40 " "  
59.80 a Llo 12 " "  
70.48 Intersected the N. boundary exactly at

27

N 61° 10' E 2<sup>nd</sup> Mer. Indiana  
ch. lks.  
the post. Land rolling, timber Beech,  
Poplar, Ash, Gum, Sugar tree &c. middling  
good farming land

---

North Between Sec. 29 & 30  
28.20 a W. Oak 24 mi. dist.  
40.00 Set q. Sec. post, from which  
a Beech 13 mi. dist. bear N 57° 14' E. dist. of  
a Do. 14 " " " N 84° E 16 " "  
63.30 a Hickory 11 " "  
80.00 Set post Cor. to Sec. 19, 20, 29 & 30, from which  
a Beech 11 mi. dist. bear N 40° 11' 31" E. dist. of  
a Do 10 " " " N 69° E 27 " "  
Land timber &c. Same as on the last mile

---

East On Rand. between Sec. 20 & 29  
40.00 Set temp. q. Sec. post  
55.00 a Creek 20 lks. wide Course N. W.  
65.00 a Spring branch 10 lks. wide Course S. W.  
79.54 Intersected the N. & S. line 7 lks. S. of post  
Land timber &c. Same as on the last mile

---

West On true line between Sec. 20 & 29  
39.77 Set temp. q. Sec. post at average dist. from which  
a W. Ash 18 mi. dist. bear N 19° E 18 lks. dist. of  
a Beech 15 " " " N 8° W 6 " "  
79.54 to Sec. Corner. Dec. 22<sup>nd</sup> 1886

---

West Between Sec. 19 & 30  
19.73 a Beech 10 mi. dist.  
40.00 Set q. Sec. post, from which  
a Beech 14 mi. dist. bear N 75° E 43 lks. dist. of  
a Hickory 20 " " " N 72° W 14 " "  
61.87 a Beech 9 " "  
72.63 Intersected the N. boundary exactly at post  
Land rolling, timber Beech, Poplar, Sugar,



28

Sec. N. N. E. 2<sup>nd</sup> Mer. Indiana  
 ch. 1<sup>st</sup> 1/2  
 Oak &c. underg. Spruce Greenbrier, good  
 farming land

North Between Sec. 17 & 20

34.00 a Creek 40 lth., wide Course N. W.

40.00 Set q. Sec. post, from which  
 a Beech 30 m. dist. by S 41 E 27 lth. dist. of  
 a Do. 20 " " " N 69 W 13 " "

61.63 a Do. 12 " "

80.00 Set post in Creek 200 lth., wide Cr. S. W. from  
 which a Sycamore 12 m. dist. by N 26 W 18 lth. dist. of  
 a Do. 30 " " " S. W. 84 " "

The first 1/2 mile rolling - the last 1/2 Creek  
 bottom, timber same good farming land.

East On Rand<sup>m</sup>. between Sec. 17 & 20

40.00 Set timber q. Sec. post

66.00 a Creek 150 lth., wide Course N. W.

79.43 Intersected the N & S. line 6 lth. S. of post  
 Land rolling good 2<sup>nd</sup> rate, timber Beech  
 Poplar, Sugar, Elm, Sycamore, Walnut  
 Ash &c. good farming land

West On true line between Sec. 17 & 20

39.76 Set q. Sec. post at average dist. from which  
 a Beech 13 m. dist. by N 18 W 29 lth. dist. of  
 a Sugar 12 " " " N 22 W 23 " "

79.43 to Sec. Corner.

West Between Sec. 18 & 19

25.50 a Brook 15 lth. wide Course N. W.

40.00 Set q. Sec. post, from which  
 an Elm 12 m. dist. by S 83 W 6 lth. dist. of  
 a N. Oak 18 " " " N 62 E 13 " "

56.00 a Creek 250 lth., wide Course S. W.

72.23 Intersected the W. boundary 41 lth. S. of post

St. R & E. 2<sup>nd</sup> Mer. Indiana 29  
ch. 1<sup>st</sup> m. Let post Cor. to Sec. 18 & 19, from which  
an Elm 18 m. dia. brans N 42 E 3 m. dist. of  
a Beech 13 " " " S 79 W 19 " "  
Over Creek bottom level, timber same, rather  
thin soil not very good farming land

---

December 23<sup>rd</sup>, 1876  
North Between Sec. 17 & 18  
3.85 a Brook 10 m. wide Course N.  
40.00 Let q. Sec. post, from which  
a Beech 20 m. dia. brans S 17 W 9 m. dist. of  
a do 7 " " " N 54 W 17 " "  
80.00 Let post Cor. to Sec. 7, 8, 17 & 18, from which  
a Beech 11 m. dia. brans S 89 W 34 m. dist. of  
a do. 10 " " " S 81 E 33 " "  
The first 1/2 mile level & good farming land  
timber same - the last 1/2 broken timber  
same, underg<sup>g</sup>, Dogw<sup>g</sup>. & greenbrier, poor far-  
ming land

---

West Between Sec. 7 & 18  
28.64 a Hickory 18 m. dia.  
40.00 Let q. Sec. post, from which  
a Sugar 12 m. dia. brans N 40 E 21 m. dist. of  
a Beech 15 " " " S 47 W 24 " "  
62.50 a Creek 30 m. wide Course S. W.  
70.38 Intersected the N & S. line 82 m. N. of post  
Let post Cor. to Sec. 7 & 18, from which  
a Beech 12 m. dia. brans S 27 E 20 m. dist. of  
a Sugar 7 " " " N 13 E 4 " "  
Land broken, timber same thick underg<sup>g</sup>.  
Dogwood, Sassafras & greenbrier, poor land

---

East On Land<sup>m</sup>. between Sec. 8 & 17  
18.00 a Small brook Course S. W.  
40.00 Let temp<sup>y</sup> q. Sec. post

T6 N. R8 E. 2<sup>d</sup> Mer. Indiana

ch. 1/4  
80.21 Intersected the N of S. line 30 lns. N. of post.  
Set post Sand timber same as last mile  
Poor farming land

---

West On true line between Sec. 8 & 17  
40.10 Set q. Sec. post at average dist. from which  
a Gum 18 in. dia. bray S 44 W 7 lns. dist. of  
a Poplar 30 " " " N 42 E 31 " "  
80.21 to Sec. Corner

---

North Between Sec. 7 & 8  
27.50 a Beech 8 in. dia.  
40.00 Set q. Sec. post, from which  
a Beech 6 in. dia. bray S 38 W 16 lns. dist. of  
a do. 7 " " " N 44 E 6 " "  
52.00 a small brook Course S. W  
80.00 Set post Cor. to Sec. 5, 6, 7 & 8, from which  
a Beech 12 in. dia. bray S 30 W 23 lns. dist. of  
a do. 15 " " " N 47 E 10 " "  
Sand timber &c. same as on the last mile

---

East On Rand<sup>m</sup> between Sec. 5 & 8  
40.00 Set temp. q. Sec. post  
40.50 a small brook Course S. W.  
79.66 Intersected the N of S. line 78 lns. N. of post  
Sand timber &c. same as on the last mile

---

West On true line between Sec. 5 & 8  
40.25 Set q. Sec. post at average dist. from which  
(39.83<sup>2</sup>) a Beech 9 in. dia. bray N 20 E 13 lns. dist. of  
a do. 15 " " " S 8 W 24 " "  
79.66 to Sec. Corner. Dec. 24<sup>th</sup>, 1806

---

North Between Sec. 4 & 5, T6 N. R8 E.  
23.78 a Sugar 8 in. dia.  
40.00 Set q. Sec. post, from which



# 31

## St. R8E. 2<sup>n</sup>. Mer. Indiana

ch. l. l. m.

a Hickory 18 in. dia. beam 157 E 17 l. m. dist. of  
 a Beech 12 " " " N 73 W 5 " "  
 59.13 a Poplar 30 " "  
 79.60 intersected the N. boundary 111 l. m. N. of post  
 Set post Cor. to Sec. 4 of 5, from which  
 a Beech 13 in. dia. beam 133 W 12 l. m. dist. of  
 a do. 12 " " " S 71 E 22 " "  
 Sand rolling timber Beech, Poplar, Oak  
 Hickory &c. Under <sup>the</sup> Spruce, Hazel, dogwood?  
 greenbrier &c. (muddling farming land)

---

### West Between Sec. 6 of 7

19.79 a Beech 12 in. dia.  
 40.00 Set of Sec. post, from which  
 a Beech 10 in. dia. beam 177 E 9 l. m. dist. of  
 a do. 11 " " " " S 85 W 15 " "  
 71.50 intersected N. boundary 80 l. m. N. of post  
 Set post Cor. to Sec. 6 of 7, from which  
 a Beech 14 in. dia. beam 170 E 9 l. m. dist. of  
 a do. 10 " " " " N 68 E 11 " "  
 Sand rolling timber Beech, Poplar, Oak,  
 Sugar &c. (muddling farming land)

---

### North Between Sec. 5 of 6

38.50 a Small brook Course S. W.  
 40.00 Set of Sec. post, from which  
 a Beech 20 in. dia. beam 165 E 16 l. m. dist. of  
 a do. 10 " " " " N 63 W 26 " "  
 63.00 a Small brook Course S. E.  
 65.00 a Hickory 8 in. dia.  
 78.54 intersected N. boundary 106 l. m. N. of post  
 Set post Cor. to Sec. 5 of 6, from which  
 a Beech 16 in. dia. beam 153 E 12 l. m. dist. of  
 a do. 14 " " " " S 81 W 8 " "  
 Sand broken timber same, under <sup>the</sup> Spruce  
 Sassafras & greenbrier poor farming land.  
 variation 5° 40' E.



T. 6 N. R. 8 E. 2.<sup>nd</sup> Mer. Indiana

Surveyed By  
 William Harris, D. S.  
 For,  
 James Sisson  
 Dep. Sur.

---

Comp.

I certify that the foregoing transcript of  
 field notes of Township T. 6 North, Range  
 N. 8 East 2.<sup>nd</sup> Mer. Indiana, has been com-  
 pared with the original notes in this office  
 and found to be correct.

Surveyor General's Office  
 Cincinnati, Sept. 21. 1842

William Johnston  
 Sur. Genl.